

Proposed Entrance & Exit to Node

Proposed shops facing Van Dyks Street and midblock parking

Tourism Business Node

Restaurant & Parking

Petrol Station

Proposed New Waterfront

**KLEINBAAI OVERSTRAND MUNICIPALITY:**

- Boat Parking Area
- Local Business Zone
- Illegal Shark Dive Operators
- Activity Corridor
- Kleinbaai Node
- Proposed Parking
- General Res Zone with business rights
- Drop off points

# KLEINBAAI NODAL DEVELOPMENT STUDY

REVISION 3  
FOR SUBMISSION TO COUNCIL

26 JANUARY 2016



## ENGINEERING REPORT

*Deca Consulting Engineers*  
7 Paterson Street  
Hermanus 7200

Tel: 028 312 2292



## URBAN DESIGN

*CSM*  
Old Paardevlei Road  
The Interchange  
Somerset West 7130  
Tel: 0861 276 266

**Project description**

Kleinbaai Nodal Development Study

**Client**

Overstrand Municipality  
16 Paterson Street  
Hermanus  
7200

**Professional team**

Liezl du Plooy and Douw Louwrens  
Deca Consulting Engineers  
7 Paterson Street  
Hermanus  
7200  
Tel: 028 312 2292  
e-mail: douw@d-e-c-a.co.za  
liezl@d-e-c-a.co.za  
Web: www.d-e-c-a.co.za

Maria-Laura Santamarina  
CSM  
Old Paardevlei Road  
The Interchange  
Somerset West  
7130  
Tel: 0861 276 266  
e-mail: mlsantamarina@csmeng.co.za  
Web: www.csmeng.co.za

**Report status**

Revision 3. For submission to Council.

**Date**

26 January 2016



---

Liezl du Plooy M. Eng Pr. Eng  
Deca

## EXECUTIVE SUMMARY

*Kleinbaai is the shark viewing capital of the world. Located conveniently close to Dyer Island and its resident great white shark population and with a small harbour suited to the launch of sizeable vessels, Kleinbaai has developed from a tranquil holiday town to the hub of the lucrative shark viewing business. It is exactly this apparent contradiction between holiday town passivity and commercial activity that has given rise to the need for a nodal development study that would indicate how the needs of the various Kleinbaai role players can be accommodated and the village can be developed to the advantage of all.*

*The report acknowledges the harbour as an anchor point in the village, but focuses on the interventions and improvements required to establish a functional commercial and tourism centre that will serve the needs of local residents, holidaymakers and foreign tourists. The continued operation of the Kleinbaai harbour as a launching site for commercial and sports fishing vessels is ensured and catered for through improvement proposals for the harbour.*

*Changes are proposed to the road network; the zoning of properties in the business area is discussed, parking requirements and provision are investigated and pedestrian needs are planned for. All changes and improvements are to be implemented incrementally over a number of years.*

## TABLE OF CONTENTS

### **PART A: ENGINEERING REPORT**

<b>1. BACKGROUND</b>	<b>1</b>
<b>2. INVOLVEMENT OF THE PUBLIC</b>	<b>1</b>
<b>3. ENGINEERING CONSIDERATIONS</b>	
3.1 Kleinbaai Roads	3
3.2 Intersections	6
3.3 Pedestrians	7
3.4 Parking	7
<b>4. LAND USE</b>	<b>7</b>
<b>5. KLEINBAAI HARBOUR</b>	<b>8</b>
<b>6. IMPROVEMENT PROPOSALS</b>	
6.1 Improvements at Kleinbaai Harbour	9
6.2 Improvement of the Kleinbaai commercial area	12
<b>7. CONCLUSIONS AND RECOMMENDATIONS</b>	<b>14</b>

### **LIST OF DRAWINGS**

- Figure 1: Kleinbaai Roads
- Figure 2: Erf 11 house structure exceeding building line
- Figure 3: Existing (2013) traffic volumes and service levels
- Figure 4: Existing (2013) pedestrian traffic
- Figure 5: Parking utilisation in and around Kleinbaai Harbour
- Figure 6: Land use in central Kleinbaai
- Figure 7: Boat launches at Kleinbaai Harbour
- Figure 8: Existing layout of Kleinbaai Harbour
- Figure 9: Short term improvement proposals for Kleinbaai Harbour
- Figure 10: Proposed extent of Kleinbaai business area
- Figure 11: Engineering concept of landscaped parking at the entrance to Kleinbaai

## KLEINBAAI NODAL DEVELOPMENT STUDY

---

### 1. BACKGROUND

The Kleinbaai and De Kelders Nodal Development project originates from Overstrand Municipality's 2010 Growth Management Study (*Urban Dynamics, 2010*). A project proposal was drawn up and the project was endorsed by the Municipality's Executive Management Team in June 2011, after which an extensive technical report was drawn up by Overstrand Municipality's Planning Department (*Jacques Jansen van Rensburg, July 2012*). The original project proposal document drew from the following related studies:

- a) Overberg Municipal Spatial Growth Management Strategy, Urban Dynamics, 2010
- b) Development Proposal / Framework for the area of Kleinbaai Harbour, Origin Town Planning (Pty) Ltd, 2004
- c) Greater Gansbaai Spatial Plan, Nuplan Africa, 2004
- d) Overstrand Spatial Development Framework, Urban Dynamics, 2006

One of the main recommendations of the 2012 study was that a professional team consisting of a traffic engineer and urban designer should be appointed to further investigate and draw up plans that will bring the proposals closer to practical implementation. In 2013, Overstrand Municipality appointed Deca Consulting Engineers as traffic engineers, with urban design input from the Urban Design Department of CSM.


### 2. INVOLVEMENT OF THE PUBLIC

**Diagram 1** shows how interest groups and members of the public were consulted in the earlier and current Kleinbaai studies. Many of the concepts discussed and proposed in this report were taken directly from previous reports that had been workshopped with the public, including the concept of remote parking with landscaping, improved pedestrian facilities and the provision of more varied attractions for tourists. **Diagram 2** shows an extract from the 2012 "Kleinbaai and De Kelders Tourism Nodal Development Proposals" report by Overstrand Municipality, showing similar concepts to those discussed in this report.

Public involvement in the current project entailed meetings with the Harbour Controller, individual shark viewing operators, Mr. Kat Myburgh (Gansbaai Area Manager for Overstrand Municipality), the Kleinbaai Slipway Management Committee and Kleinbaai Home Owners Association. A public open was held, after which comment received from the public was incorporated into the final report (this report, Revision 3). Notes on these meetings are included in **Annexure A**.

KLEINBAAI NODAL DEVELOPMENT STUDY

Diagram 1: Kleinbaai Nodal Development Study process and public involvement



### KLEINBAAI NODAL DEVELOPMENT STUDY

Diagram 2: Extract from 2012 “Kleinbaai and De Kelders Tourism Nodal Development Proposals” report by Overstrand Municipality, showing concepts of remote parking, activity corridors and business zones



## 3. ENGINEERING CONSIDERATIONS

### 3.1 Kleinbaai roads

Kleinbaai obtains access from the R43 – the main road between Hermanus, Gansbaai and Pearly Beach - via Van Dyk Street. In Kleinbaai, the direction of Van Dyk Street changes from north / south to east / west, parallel to the beach front, and continues as the main road through Kleinbaai and to Franskraal. Divisional Road 1214 provides a second east / west link between Van Dyk Street at the Danger Point Road intersection and the R43 / Rossouw Street in Franskraal. The section of DR1214 between Rossouw Street and Van Dyk Street was recently surfaced and provides an alternative to the Van Dyk Street route. Swart Street links Van Dyk Street to Kleinbaai Harbour. Geelbek Street has developed into the main commercial street, although not all businesses have the correct zoning. Perlemoen Street links Geelbek Street to Van Dyk Street. **Figure 1** shows the more important roads in central Kleinbaai.

### KLEINBAAI NODAL DEVELOPMENT STUDY

#### Van Dyk Street


Van Dyk Street may be classified as a District Distributor (Class 3) road. It has a "rural" cross-section with no kerbs or roadside stormwater channels, but the wide road reserve lends itself to future upgrades. Properties along Van Dyk Street within the town boundaries are all zoned residential, although the property on the corner of Van Dyk and Swart Street is used by shark viewing operator. An exclusive right turn lane has been provided on Van Dyk Street southbound (See **Photo 1**) at the Perlemoen Street intersection. Further south, the Van Dyk Street / Swart Street intersection has stop control on Van Dyk Street East and Van Dyk Street North, with a traffic island separating westbound and eastbound traffic on the eastern leg, as shown in **Photo 2**. The incline as one approaches the intersection from the south is the likely reason why the southern approach does not have stop control.

South of the Van Dyk Street / Swart Street intersection, Van Dyk Street becomes Swart Street, which terminates at the T-junction with Kus (*Coastal*) Drive. See **Photo 3**. Kus Drive is a gravel residential access way to the east, with the western leg leading to Kleinbaai Harbour.

**Photo 1: Van Dyk Street / Perlemoen Street intersection. Note the absence of kerbs and stormwater infrastructure**




**Photo 2: Van Dyk Street / Swart Street intersection**



**KLEINBAAI NODAL DEVELOPMENT STUDY**

*Photo 3: Swart Street / Kus Drive intersection*




Kus Drive

Kus Drive is a 5,5-metre wide road in a 13-metre wide road reserve. The inside radius of the Kus Drive / Swart Street junction is 12 metres, which is more than sufficient for light vehicles and single unit trucks, but which may pose a problem for trucks with trailers. According to the shark viewing operators, the large shark boat trailers can also not round this corner. Geelbek Street is available as an alternative access to the harbour, but the circular route via Perlemoen Street, Geelbek Street, Kus Drive and Swart Street back to Van Dyk Street is a much easier route. As **Figure 2** shows, the options for widening Kus Drive / Swart Street or for increasing the radius at this corner are limited by the house structure on Erf 11, which is located halfway within the road reserve.

Erf 65, located to the west of Kus Drive in the middle of the street block between Swart Street and Geelbek Street is a public open space, a portion of which is currently used for informal parking. Unmarked off-street parking is also available on the sea side of Kus Drive. See **Photo 4**. Further south, Kus Drive becomes a gravel road which leads to a second Kleinbaai Harbour entrance, a few residential properties, public open space and the beach.

*Photo 4: Looking northwards along Kus Drive from Kleinbaai Harbour entrance*



## KLEINBAAI NODAL DEVELOPMENT STUDY

### Geelbek Street

Geelbek Street has become the commercial high street of Kleinbaai, with a restaurant, shop and filling station located on this road. A number of shark viewing businesses operate illegally from residentially zoned premises on Geelbek Street, with the exception of those on Kleinbaai Erven 110 and 117. Geelbek Street road has a more formal cross-section than Van Dyk Street, with kerbs, channels and a wide surfaced sidewalk. The mobility / activity conflict is apparent on Geelbek Street: It is the main commercial street, but speed humps have been installed as traffic calming measure. See **Photo 5**. Some formalisation of parking, traffic calming and pedestrian infrastructure is required on this road.

### Perlemoen Street

Where Perlemoen Street and Geelbek Street intersect, the Perlemoen Street approaches have stop control, with free flow on Geelbek Street. This is unusual at a T-junction, but the fact that there is an incline on Geelbek Street may have been the motivation. Perlemoen Street has no kerbs, channels or sidewalks.

**Photo 5: Looking west up Geelbek Street. Note restaurant on the right hand side and shop with filling station further up. Speed humps have been installed on this road.**



## 3.2 Intersections

Traffic counts were done at the Van Dyk Street / Swart Street, Kus Drive / Geelbek Street, Geelbek Street / Perlemoen Street and Perlemoen Street / Van Dyk Street intersections on 16 December 2013. Counts done in December 2012 were used for the R43 / Van Dyk Street intersection. Van Dyk Street and other roads in Kleinbaai carry relatively low traffic volumes, with considerable spare capacity available even during the summer holiday period. The intersections were analysed using SIDRA software. The analysis shows that the four counted intersections in Kleinbaai itself operate at excellent (A) to very good (B) service levels. The four-way stop controlled intersection of the R43, the Kleinbaai access road (Van Dyk Street) and Masakhane Street however, experiences poor (E) to very poor (F) service levels on the southern and western approaches. Refer to **Figure 3**. The upgrading of last mentioned intersection to either traffic signals or a roundabout is recommended in the Overstrand Transport Masterplan. This will create additional capacity and will improve service levels. No improvements are required at the Kleinbaai village intersections, but it is suggested that the Van Dyk Street / Swart Street intersection should be redesigned.

## KLEINBAAI NODAL DEVELOPMENT STUDY

---

### 13.3 Pedestrians

Pedestrian counts were done on Kus Drive and Geelbek Street on the same day as the traffic counts. Considerable pedestrian volumes were recorded on Geelbek Street (see **Figure 4**). Approximately a third of the volume counted on Geelbek Street was counted on Kus Drive. Geelbek Street is the only street with a paved sidewalk. It is recommended that a paved sidewalk or walkway should be provided along Kus Drive and Swart Street as well.

### 3.4 Parking

Parking near the Kleinbaai Harbour include parking along Kus Drive, parking at the harbour for single passenger vehicles and parking for vehicles with boat trailers, or boat trailers only. The utilisation of parking at these three sites was recorded on 16 December 2013. The results (**Figure 5**) show that none of the three sites was fully occupied at any time of the survey day, but it should be noted that parking utilisation is subject to weather conditions and that the parking areas are fully occupied during the peak holiday season.

## 4. LAND USE

According to the Hermanus District Growth Management Strategy (*HDGMS, Urban Dynamics, 2010*), the majority of erven in the central Kleinbaai area are zoned for residential use. The exception are Erven 117 (corner Kus Drive and Geelbek Street), 107, 110 (Marine Dynamics) and 431 (corner Geelbek Street and Perlemoen Street). A number of Shark Viewing businesses operate illegally from residentially zoned erven. These include:

- Shark Diving Unlimited (Erf 12)
- Great White Shark Tours (Erf 71)
- Shark Lady (Erf 120)
- White Shark Projects (Erf 121)
- Supreme Sharks (Erf 149)

The owners of Erven 12, 71 and 121 are in the process of rezoning their properties from residential to commercial use. As shown in **Figure 6**, most of these businesses are located on Van Dyk Street / Swart Street and on Geelbek Street. The owner of Erven 107, 108, 109 and 110 intends to further expand his operations - which include shark viewing and whale watching and research, with supporting facilities such as offices and a restaurant – by adding an interactive interpretation centre. Some of the vacant land on Erf 109 will be used for landscaped private parking.

In the absence of commercially zoned properties and an established, planned central business area, there has been a natural progression in the land use on Geelbek and Van Dyk / Swart Street from residential towards commercial. From a planning perspective, it makes sense that commercial properties should be located near the town entrance and close to the harbour, which is the town's focal point. The need for more commercially zoned properties is recognised and it is recommended that the commercial node should rather be formalised and contained within acceptable limits.

## KLEINBAAI NODAL DEVELOPMENT STUDY

---

### 5. KLEINBAAI HARBOUR

Kleinbaai Harbour is the property of the National Department of Public Works, but it is leased to Overstrand Municipality. Overstrand Municipality is responsible for the day to day operations, management and infrastructure associated with the harbour, but the Department of Public Works is the deciding authority when it comes to major projects. The name Kleinbaai *Harbour* is misleading, as the facilities provided only includes a breakwater and slipway, with a short, small jetty for boarding and alighting boats. The most obvious use of the harbour is by the shark viewing / shark diving operators. The various role-players involved with the harbour, including the Slipway Committee, Overstrand Municipality and shark boat operators, previously agreed that eight (8) shark viewing boats may be parked on their trailers in the harbour parking area. The remainder of the harbour property is used for casual parking, a small shop, ablution facilities and an office for the harbour controller. Other regular users of the harbour include fisherman – both commercial and sports; researchers, the National Sea Rescue Institute and kelp gatherers.

The use of the harbour land for the permanent parking of shark boat trailers has been debated at length: The parked trailers and boats negatively impacts the views from and across the harbour area and takes up prime space closest to the slipway. Some friction may occur occasionally between shark boat operators and the owners of smaller craft when it comes to launching and landing of boats. Complaints have been received about the maintenance and cleaning of boats in the harbour area. On the other hand, Kleinbaai's status as the shark viewing capital of the world cannot be over emphasised. This is the main commercial activity in Kleinbaai, also contributing to the economy of Gansbaai. It attracts a few thousand tourists annually – the majority from abroad. Due to the shorter distance from Kleinbaai to the Dyer Island area and more favourable sea conditions for the trip than from Gansbaai, there really is no alternative to Kleinbaai Harbour for shark boat operators.

The launch frequency of both shark and other boats were recorded on 16 December 2013. (See **Figure 7**.) The six shark boats operating on that day each made two trips. This is the number of trips that can be made comfortably within one day, as boats have to be cleaned, refuelled and restocked after each trip. In other harbours, boats of this size are usually only taken out of the water for refurbishment or maintenance, but the lack of mooring facilities at Kleinbaai Harbour has led to the current practice of storing the boats on land. On most days, boats do a morning trip of approximately three hours and is then taken out of the water for a brief period before going on the second trip for the day. These vessels are large – up to 14 metres long – and have large trailers that can be classified as abnormal load vehicles. It would be impractical to store the trailers at a remote location during the time that boats are out to sea or even during the evening, as the trailers are not suited to the local roads and should not mix with normal traffic.

When viewed daily as shown in Figure 7, the number of smaller craft may slightly outnumber the trips made by the shark boats. On an annual basis, which includes the winter season, the number of shark boat trips far outweighs the number of trips made by smaller boats, but on certain days during the year the number of small boats become so large that there is not enough space at the harbour for all the trailers.

Previous studies on Kleinbaai Harbour include the 2004 "Development Proposal / Framework for the area of Kleinbaai Harbour" report by Origin Planners and a report by Ulwazi Engineers. Some of the recommendations of these reports, like the extension of the slipway, have since been implemented. The current layout of the harbour is shown in **Figure 8**. Through discussions with the Gansbaai Town Manager, the Kleinbaai Slipway Committee and shark boat operators, it became apparent that a number of improvements are still needed in the harbour. Some of the improvements will require long term planning; others can be implemented right away.

## KLEINBAAI NODAL DEVELOPMENT STUDY

Further concerns that were raised during the public participation process, were those of dust and noise pollution. The dust problem can be addressed by providing permanent surfaces (asphalt, concrete or brick paving) for gravel areas in the harbour precinct. Noise pollution is more complex to address, with three possible attenuation methods: attenuation at the noise source, interference with the propagation path or applying actions on the receiver. In the case of Kleinbaai Harbour, the noise sources are the engines of boats and the vehicles that launch and retrieve the boats, be it tractors or bakkies. Although engine noise can be reduced by, for instance, using electric engines, it is highly unlikely that such measures will be implemented by boat owners and operators, at least in the short to medium term. Acoustic rehabilitation that can be done at the receiving end include the cladding of the most affected façades with sound absorbing material and the fitting of double glazed windows. In Kleinbaai, such measures would be for the cost of the home owners. The third possibility is to interfere with or block the path along which sound waves travel by erecting barriers. Such measures are effective and appropriate at larger commercial harbours, but will block the sea views of Kusweg homes across Kleinbaai Harbour. From the three possible noise attenuation measures, the application of actions at the receiving end seem the most practical.


## 6. IMPROVEMENT PROPOSALS

The findings summarised in the paragraphs above clearly indicate the need for the establishment and formalisation of a central business district for Kleinbaai and for improvements to the harbour.

### 6.1 Improvements at Kleinbaai Harbour


The improvements proposed range from low cost and short term projects to more costly long term projects. The SA National Department of Environmental Affairs has, for the past number of years, maintained their position that only up to ten boats (8 shark boats and 2 whale boats) are ecologically sustainable and that higher numbers will start to have a negative impact on the habitat and behaviour of the sharks. The short term focus will therefore be for the accommodation of up to ten shark / whale boats in an orderly and acceptable manner. Should the authorities grant more than ten permits, leading to an increase in the number of operators, the most viable long term solution will be to enlarge and deepen the harbour basin in order to provide permanent mooring facilities for all the shark boats. An alternative would be to restrict new operators to Gansbaai Harbour, but this could hamper the economic feasibility of the operation. Some of the improvement proposals as discussed with the Slipway Committee, and which will benefit both fishermen and the shark industry, are listed below. The project numbers correspond with the numbers in *Figure 9*.

- 1) Replace wooden hut for harbour controller with stone structure of similar size, but with finishing similar to the existing harbour buildings to improve the aesthetic appearance. The facebrick structures shown in the photo have been clad in stone since the photo was taken.




**KLEINBAAI NODAL DEVELOPMENT STUDY**

- 2) Separate launching space for small craft (eastern side of slipway) and shark boats (western side of slipway) by means of lane marking or similar (cones, signs). This proposal is not supported by the Kleinbaai Slipway Management Committee.



- 3) Slipway to be extended until foundation can be set on bed rock. Currently sand is washed away from bottom end of the structure, causing a step down from the concrete to sandy seabed and sagging of the slipway structure.
- 4) Make channel out to sea deeper to accommodate waiting boats in all tides.
- 5) Provide floating jetty for small vessels to dock while off-loading passengers or while waiting for space on the slipway. Jetty needs to float to cater for tidal height differences.
- 6a) Replace gravel and loose stones between jetty and breakwater with permanent surface. Gravel currently washes away at high tide, making the docking area shallower.
- 6b) Construct low stone wall to create boundary between jetty / walkway and breakwater.
- 6c) Raise existing right angled jetty and harbour wall / walkway so that surface remains above water during normal high tide.
- 7) Surface and formalise loading area which is used by light vehicles to collect wetsuits, etc from boats, to load research material and for NSRI purposes.




**KLEINBAAI NODAL DEVELOPMENT STUDY**

---

- 8) Provide two additional shark / whale boat parking bays for operators whose boats are currently stored at residential properties
- 9) Provide electrical connections to each shark boat parking bay, similar to existing water points. Electrical points should be lowered into ground to prevent vehicles from riding over and damaging points.
- 10) Provide pedestrian link from Kus Drive to the breakwater by boardwalk or similar. Should be raised to keep water off. Link to breakwater line and provide walkway along breakwater as well. Broad enough for wheelchairs, etc.
- 11) Construct low wall to create better visual impact, hiding boulders forming breakwater.
- 12) Lower information signs, maybe mount on wall, to create unobstructed view from walkway out to sea. Provide weatherproof benches and dustbins.
- 13) Pave parking area. Clearly mark bays for boats and trailers, and bays for light vehicles only. If parking on grass is undesirable, create physical barrier.



- 14) Construct low stone wall between harbour property and Kus Drive.



**KLEINBAAI NODAL DEVELOPMENT STUDY**

---

- 15) Lay concrete slabs from Kus Drive to existing paved area above slipway. The permanent surface is required to provide a cleaner, dryer and maintenance-free area for vehicles and pedestrians and to improve the current problem of dust pollution. Importantly, road markings need to be provided on new surface (cannot be done on gravel) to indicate direction of flow, access restrictions, etc. Formalise entrance (kerbing) and provide proper signage.



- 16) Provide more toilets with showers and change rooms. Appoint dedicated cleaning crew, to be managed and funded by shark boat operators.
- 17) Pave and mark out parking for light vehicles next to harbour change rooms and along Kus Drive.
- 18) Provide / extend boardwalk along Kus Drive and down eastern side of slipway as previously approved by Council.

Long term upgrades to the harbour will to a large extent depend on the growth in the tourist industry and the associated need for tourist facilities such as craft shops, eateries, coffee shops and similar.

## 6.2 Improvement of the Kleinbaai commercial area

It is recommended that the Kleinbaai commercial area should be demarcated as follows:

- On both sides of the north-south running section of Van Dyk Street;
- On Van Dyk Street East / West: Two or three erven on either side, eastwards Van Dyk Street North/South;
- On both sides of Swart Street
- On Kus Drive;
- On both sides of Geelbek Street;
- On both sides of Perlemoen Street, from Geelbek Street eastwards (see **Figure 10**).

Applications for rezoning to commercial or tourism-related land uses in this block should be supported. This was agreed by most respondents in the previous public participation processes. New businesses and businesses that are already operating from residential properties, should be subject to certain conditions, which should include:

- Parking for Shark Viewing operators: Parking to be provided on site at a rate of 4 bays per 100m<sup>2</sup> of gross floor area (GFA). This rate does not comply with the Municipal Zoning Scheme requirement of 6 bays per 100m<sup>2</sup> for commercial activities, but was determined through surveys;

### KLEINBAAI NODAL DEVELOPMENT STUDY

---

- Parking for restaurants: 6 bays per 100m<sup>2</sup> gross lettable area (GLA) as per the zoning scheme;
- Parking for guest houses: 1 bay per guest rooms as per the zoning scheme;
- Parking at retail outlets (single shops): 4 bays per 100m<sup>2</sup> GLA. A rate of 6 bays per 100m<sup>2</sup> is recommended in the zoning scheme, but this is found to be more applicable to large retail outlets and shopping centres. A ratio of 4 bays per 100m<sup>2</sup> is normally sufficient for smaller stores;
- Parking at offices: 4 bays per 100m<sup>2</sup> GLA. Again, this is not in accordance with the zoning scheme requirement of 9 bays per 100m<sup>2</sup>, but is sufficient for the offices relating to shark viewing and marine conservation activities;
- Shark Viewing operators should provide an indoor rest area with at least 4 toilets and 4 showers per operator (2 each for males and females).

No on-street parking should be allowed at business sites. It is suggested that a communal parking area should be provided on the southern corner of the Van Dyk Street / Perlemoen Street intersection. Businesses that are unable to provide sufficient parking on their own properties should be able to procure parking spaces at this parking area, at a rate to be determined by the Overstrand Municipality. The idea is that this parking area should be provided in pockets between the protected Milkwood Trees. This will soften the view as one enters town. The greening concept was a point on which 90% of respondents in previous public processes agreed.

Overflow parking from the harbour can also be accommodated on this site. A longer term plan is to develop the space to the north and west of the Van Dyk Street / Perlemoen Street intersection. The area to the north can be developed with the parking of vehicles with boat trailers, buses and smaller tour minibuses in mind. These proposals are shown in more detail in the Urban Design Framework.

During peak fishing seasons, it is proposed that vehicles with trailers should be parked at this site after the boats have been launched. As there is little mooring facilities available in the harbour for boats to wait, it was proposed that drivers should be employed by the Municipality or a local business, who could drive vehicles from the harbour to the remote parking site after craft had been launched, and who could return with the vehicle and trailer to retrieve the boat when it returns from its trip. The communications required for this operation could have been done by the harbour controller. This proposal was, however, not supported by the public.

When the remote parking is up and running, it may become feasible to change Van Dyk Street into a non-motorised transport corridor with no through traffic allowed, only vehicles with trailers. The north-eastern part of Kleinbaai can then be accessed via the extension of Steenbok Street to the southwest, or via the extension of Perlemoen Street to the northeast. An engineering concept is shown in **Figure 11**.

Previous reports made mention of possibly changing Geelbek Street into a one-way street. This does not have merit from a traffic engineering point of view and it is recommended that the status quo should be retained.

The ultimate vision is that the whole of the demarcated commercial area should start functioning as a village, with fences between plots coming down, opening up courtyards and walkways between buildings through which visitors can meander, visit cafes and browse through shops. This vision is shown in the Urban Design Framework, Annexure B.

**KLEINBAAI NODAL DEVELOPMENT STUDY**

---

## 7. CONCLUSIONS AND RECOMMENDATIONS

A number of studies have been done for Kleinbaai town and Kleinbaai Harbour. This 2014 Kleinbaai Nodal Development study is intended as a guideline of practical engineering, town planning and urban design interventions that can be used to achieve the vision that had its origins in the previous plans. The recommendations made in this study were categorised as short term, medium term or long term improvements, dependent on scale, cost and social impact.

### 7.1 Short term improvements

- a) Replace the wooden hut of the harbour controller with a stone structure;
- b) Replace gravel and loose stones between jetty and breakwater with permanent surface;
- c) Construct low stone wall to create boundary between jetty / walkway and breakwater;
- d) Construct low stone wall between harbour property and Kus Drive;
- e) Construct low stone wall above the south-eastern breakwater to create better visual impact, hiding the boulders that form the breakwater;
- f) Lower information signs along south-eastern breakwater, maybe mount on wall, to create unobstructed view from walkway out to sea.
- g) Provide weatherproof benches and dustbins;
- h) Surface and formalise loading area at head of jetty which is used by light vehicles to collect wetsuits, etc from boats, to load research material and for NSRI purposes;
- i) Provide two additional shark / whale boat parking bays;
- j) Provide electrical connections to each shark boat parking bay;
- k) Lay concrete slabs from Kus Drive to existing paved area above slipway;
- l) Formalise entrance (kerbing) and provide proper signage;
- m) Pave and mark out parking for light vehicles next to harbour change rooms and along Kus Drive;
- n) Pave parking area. Clearly mark bays for boats and trailers, and bays for light vehicles only. If parking on grass is undesirable, create physical barrier;
- o) Separate the launching space for small craft and shark boats on the slipway by means of road marking or similar (cones, signs). This proposal is not supported by the Kleinbaai Slipway Management Committee;
- p) Demarcate Kleinbaai commercial area as shown in **Figure 10**. Applications for rezoning to commercial or tourism-related land uses in this block should be supported;
- q) New businesses and businesses that are already operating from residential properties should be subject to certain conditions, which should include:
  - o Parking for Shark Viewing operators: Parking to be provided on site at a rate of 4 bays per 100m<sup>2</sup> of gross floor area (GFA);
  - o Parking for restaurants: 6 bays per 100m<sup>2</sup> gross lettable area (GLA);
  - o Parking for guest houses: 1 bay per guest room;
  - o Parking at retail outlets (single shops): 4 bays per 100m<sup>2</sup> GLA
  - o Parking at offices: 4 bays per 100m<sup>2</sup> GLA
  - o Shark Viewing operators should provide an indoor rest area with at least 4 toilets and 4 showers per operator (2 each for women and men);
- r) Sufficient parking is provided on Kus Drive and at Kleinbaai harbour and no further parking should be provided in this area;

### KLEINBAAI NODAL DEVELOPMENT STUDY

---

- s) No on-street parking should be allowed at business sites. Businesses that are unable to provide sufficient parking on their own properties should be able to procure parking spaces at this parking area, at a rate to be determined by the Overstrand Municipality.

#### 7.2 Medium term improvements

- a) Provide / extend boardwalk along Kus Drive and down eastern side of slipway as previously approved by Council;
- b) Provide pedestrian link from Kus Drive to the breakwater by boardwalk or similar. Should be raised to keep water off. Link to breakwater line and provide walkway along breakwater as well;
- c) Extend slipway until foundation can be set on bed rock;
- d) Make channel out to sea deeper to accommodate waiting boats in all tides;
- e) Provide floating jetty for small vessels to dock at;
- f) Raise existing right angled jetty and harbour wall / walkway so that surface remains above water during normal high tide;
- g) Provide more toilets with showers and change rooms. Appoint dedicated cleaning crew, to be managed and funded by shark boat operators;

#### 7.3 Long term improvements

- a) Redesign the Van Dyk Street / Swart Street intersection;
- b) Provide a paved sidewalk or walkway along Kus Drive and Swart Street;
- c) The commercial node of Kleinbaai should be formalised and contained within acceptable limits;
- d) Enlarge and deepen the harbour basin in order to provide permanent mooring facilities for all the shark boats should more long term shark viewing permits be issued by government;
- e) Provide a communal parking area on the southern corner of the Van Dyk Street / Perlemoen Street intersection, with bays provided in pockets between the protected Milkwood Trees;
- f) Develop the space to the north of the Van Dyk Street / Perlemoen Street intersection with the parking of vehicles with boat trailers, buses and smaller tour minibuses in mind;
- g) During peak fishing seasons, it is proposed that a shuttle or valet-type system should be used to park vehicles with trailers at this site after the boats had been launched. The public was not in favour of this proposal;
- h) If or when the remote parking is up and running, it may become feasible to change Van Dyk Street into a non-motorised transport corridor with no through traffic allowed, only vehicles with trailers. The north-eastern part of Kleinbaai can then be accessed via the extension of Steenbok Street to the southwest, or via the extension of Perlemoen Street to the northeast as shown conceptually in **Figure 11**;
- i) The ultimate vision is that the whole of the demarcated commercial area should start functioning as a village, with fences between plots coming down, opening up courtyards and walkways between buildings through which visitors can meander, visit cafes and
- j) browse through shops. This vision is shown in the Urban Design Framework, Annexure B;
- k) Elements of the Kleinbaai Urban Design Framework should be implemented as a pilot project that can serve as design standard for other towns and suburbs in the Overstrand area.